

# Sample Questions with Answers

## Programming Languages - Pascal

Generated on April 15, 2026 at 4:12 PM

Programming Languages

**[NOTE] Important Note:** This PDF contains sample questions with complete answers and explanations. Visit [SolveMyQues.com](https://www.solvemyques.com) for our complete question bank, interactive tests, and detailed performance tracking!

### Question 1:

What are the data types included in Pascal?

#### [ANSWER] Answer & Explanation:

- Data type defines a range of values that a variable can store. It also includes set of operations that are performed on different data types.- There is predefined data type as:- Integers are the whole numbers that allow only the numbers to be written without any decimal points.- The real numbers are treated as floating point numbers that can have decimals as well with the non-decimal digits.- Boolean data types define only the two values either it is true or false. In programming it can be used when there is a decision need to be made between the two entities.- Char data type allows the single character to be written in an ordered form with the ordered character set.

### Question 2:

What are sub-range types and sub-types in Pascal language?

#### [ANSWER] Answer & Explanation:

The sub-range allows defining the implementation of the functions that provides the data conversions to be performed on the data types like real to integer, etc.The sub-ranges of the data type can be made using the ordinary data type which will be as follows:var x : 1..10;y : 'a'..'z';z : Apple..Mango;Set provides a way to group the things and the objects using the mathematical algorithm. The set can hold the values that will make it faster.The set types are used to have a set in which there are some values that needs to be defined.This is shown as:var Set1 : set of 1..10;Set2 : set of 'a'..'z';Set3 : set of Apple..Mango;Set operators can be used to implement the machine code operations that involve smaller domains.

### Question 3:

What are the different pointer types used in pascal?

#### [ANSWER] Answer & Explanation:

- Record pointers are the pointers that allow the recording of the node and the sub-fields that are being used.- Reference pointers: Pointers are the reference to the dynamically created variables that doesn't allow the references to be done in static or local variables.- Associate type pointers: Pointers have an associated data type with them so that one type can be check for compatibility with another type.- It helps in eliminating the security concern and allows easy implementation of the pointer used in the language.- This allows the risk to be removed in case of using the dangling pointers and it dynamically allows the use of Dispose function that manages the risk.- Example of the pointer is as follows: `type pNode = ^Node; Node = record a : integer; b : char; c : pNode {extra semicolon not strictly required}end; var NodePtr : pNode; IntPtr : ^integer;`- The NodePtr is a variable pointer that is pointing to the data type of Node that is a record. Pointers are used before they are declared.

### Question 4:

What is the control structure used by Pascal?

#### [ANSWER] Answer & Explanation:

- Pascal uses structure programming language to display the flow of control in an structured manner.- It uses the goto statement/command as standard statements that allow the control to be given to the main program in a recursive manner.- It provides more easy way to represent them without using the semicolon to end the statements written in one line.- It uses loops as a control structure to represent the statements and uses assignment operators to assign the values to the variables.- The example of it is as follows: `while (a <> b) do WriteLn('Waiting'); if (a > b) then WriteLn('Condition met') else WriteLn('Condition not met');` `for i := 1 to 10 do WriteLn('Iteration: ', i);` `repeat a := a + 1 until (a = 10);` `case i of 0 : Write('zero'); 1 : Write('one'); 2 : Write('two'); else begin Write('?'); exit; endend;`

### Question 5:

What are the procedures and functions used in Pascals?

#### [ANSWER] Answer & Explanation:

- Procedures and functions both are different in their own sense and both are required the program construct.- Procedures and functions are the main part of the logical block and they can be nested to any depth in the code.- It has its own declarations like goto labels, constants, types, variables and other defining entity that allow them to keep every function in order.- The ordering of the functions are required to allow the efficient compilation process using the single pass.- The example of it is shown below: `program Mine(output); var i : integer; procedure Print(var j : integer); begin...end; begin...end; Print(i); end`

## [FEATURES] Want More Questions & Features?

Visit [SolveMyQues.com](https://www.solvemyques.com) for:

- [+] Complete question bank with detailed answers & explanations
- [+] Interactive skill assessment tests with instant results
- [+] Performance tracking and personalized recommendations
- [+] Achievement certificates and progress reports
- [+] Expert explanations and step-by-step solutions
- [+] Ask questions to our expert team
- [+] Daily challenges and leaderboards

[WEB] Website: [www.solvemyques.com](https://www.solvemyques.com)

[EMAIL] Email: [support@solvemyques.com](mailto:support@solvemyques.com)

SolveMyQues